

Non-hazardous material safety data sheet for

Chalk – stearate coated

This generic SDS is provided by LKAB Minerals to give information to assist with material handling of the products listed which are not classified as hazardous under the GHS and / or the CLP regulations.

SECTION 1: Identification of the substance/mixture of the company/undertaking

1.1 Product identifier

Product name: Chalk
 Synonyms / trade names: Chalk, chalk whiting, calcium carbonate
 REACH registration number: Exempt

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Extender

1.3 Details of the supplier of the safety data sheet

LKAB Minerals Ltd, Raynesway, Derby DE21 7BE UK
 sds@lkabminerals.com

1.4 Emergency telephone number of supplier

LKAB Minerals AB (Sweden) +46 771 760 400
 LKAB Minerals Asia Pacific Ltd (Hong Kong) +852 2827 3000
 LKAB Minerals BV (Netherlands) +31 168 388500
 LKAB Minerals Inc (USA) +1 513 322 5530
 LKAB Minerals GmbH (Germany) +49 201 45060
 LKAB Minerals Ltd (United Kingdom) +44 1724 277411 or +44 1332 673131
 LKAB Minerals Oy (Finland) +358 17 2660160
 LKAB Minerals Tianjin (China) +86 22 2435 1706
 Hours of operation: 09.00 – 16.00 (local business hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008): Physical and chemical hazards: not classified
 Human health: not classified
 Environment: not classified

The full text for all R-phrases and hazard statements are displayed in section 16.

2.2 Label elements

Label in accordance with (EC) No. 1272/2008 No pictogram required.

2.3 Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.1 Substances

Product / ingredient name	%	CAS No	EC No	Classification
				Regulation (EC) No. 1272/2008 [CLP]
Calcium Carbonate	95 - 99	471-34-1	207-439-9	Not classified
Stearic Acid	1	57-11-4	-	Not classified
Quartz	<1	14808-60-7	238-878-4	Not classified

The full text for all R phrases and hazard statements are displayed in section 16.

REACH Registration number: Exempt

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion:	Rinse mouth thoroughly. Get medical attention if any discomfort continues.
Skin contact:	Wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact:	Make sure to remove any contact lenses from the eyes before rinsing. Rinse eye with water immediately. Get medical attention if any discomfort continues.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No specific symptoms noted.
Ingestion:	No specific symptoms noted.
Skin contact:	No specific symptoms noted.
Eye contact:	No specific symptoms noted.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

This product is not flammable. Use fire extinguishing media appropriate for surrounding materials.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: None under normal conditions

5.3 Advice for firefighters

Special fire-fighting procedures: No specific fire fighting procedures given

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Follow precautions for safe handling described in this safety data sheet

6.2 Environmental precautions

The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

6.3 Methods and material for containment and cleaning up

Avoid dust formation. Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Transfer to a container for disposal.

6.4 Reference to other sections

For personal protection see section 8. For waste disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid handling which leads to dust formation. Avoid inhalation of high concentrations of dust. Observe occupational exposure limits and minimise the risk of inhalation of dust.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

7.3 Specific end use(s)

The identified uses for this product are detailed in section 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Country	Name	STD	TWA -8Hrs	STEL - 15Min	Notes
Austria	Quartz		0.15 mg/m ³		A
Belgium	Quartz	GVB / VLEP / AGW	0.1 mg/m ³		
China	Quartz		0.5 mg/m ³		
Czech Republic	Quartz	PEL	0.1 mg/m ³		
Denmark	Quartz	GRV	0.3 mg/m ³		K ⁽¹⁾
Estonia	Quartz		0.1 mg/m ³		
Finland	Quartz	HTP	0.2 mg/m ³		
France	Quartz	VLEP	0.1 mg/m ³		
Greece	Calcium Carbonate	OTE	10.0 mg/m ³		
Hungary	Quartz	MKBS	0.15 mg/m ³		
Italy	Quartz	ACGIH	0.025 mg/m ³		A2 ⁽¹⁾
Japan	Quartz		0.03 mg/m ³		1
Netherlands	Quartz	MAC	0.075 mg/m ³		
Poland	Calcium Carbonate	NDS	10.0 mg/m ³		
Portugal	Quartz	VLE	0.025 mg/m ³		A2 ⁽²⁾
Russia	Stearic Acid	ПДК		0.5 mg/m ³	3, ОБУВ
Spain	Calcium Carbonate	VLA	10.0 mg/m ³		
	Quartz		0.1 mg/m ³		
Sweden	Quartz	AFS	0.1 mg/m ³		K ⁽²⁾
UK	Calcium Carbonate	WEL	10.0 mg/m ³		
	Quartz		0.1 mg/m ³		

A = Aveolengängiger Anteil

GVB = Grenswaarden voor blootstelling aan chemische agentia

VLEP = Valeurs limites d'exposition professionnelle

AGW = Arbeitsplatzgrenzwert

PEL = Přípustné expoziční limity

GRV = Grænseværdier for stoffer og materialer

K⁽¹⁾ = betyder, at stoffet er optaget på listen over stoffer, der anses for at være kræftfremkaldende

HTP = Haitallisiksi tunnetut pitoisuudet

OTE = Οριακή Τιμή Έκθεσης

MKBS = Munkahelyek kémiai biztonságáról szóló

ACGIH = American Conference of Governmental industrial Hygienists

A2⁽¹⁾ = Carcinogeno sospetto per l'uomo

1 = ヒトに対して発がん性のある物質

MAC = Maximaal Aanvaarde Concentraties

NDS = Najwyższe Dopuszczalne Stężenie.

VLE = Valor limite de exposição

A2⁽²⁾ = Agente carcinogénico suspeito no Homem

ПДК = Величина

3 = класс – опасные

ОБУВ = Ориентировочные безопасные уровни воздействия

VLA = Valor limite Ambiental

AFS = Arbetsmiljöverkets Författningssamling

K⁽²⁾ = Ämnet är cancerframkallande

WEL = Workplace exposure limit

NOTE: To request language / country specific SDS please email sds@lkabminerals.com

Ingredient comments:

Dust contains respirable crystalline silica. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable dust should be monitored and controlled. The product should be handled using methods and techniques that minimise or eliminate dust generation. The product contains less than 1% w/w RCS (respirable crystalline silica) as determined by the SWERF method. The respirable crystalline silica content can be measured using the "Size-Weighted Respirable Fraction – SWERF" method. All details about the SWERF method is available at www.crystallinesilica.eu

8.2 Exposure controls

Protective equipment



Engineering measures:

Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation of dust.

Respiratory equipment:

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit. Wear dust masks in dusty areas.

Hand protection:

No specific hand protection noted, but gloves may still be advisable.

Eye protection:

Wear dust resistant safety goggles where this is a danger of eye contact.

Other protection:

Provide eyewash station.

Hygiene measures:

Wash hands at the end of each work shift and before eating, smoking and using the toilet.

SECTION 9: Physical and chemical properties

9.1 Information on basic and physical and chemical properties

Appearance:	Powder, dust
Colour:	White
Odour:	Odourless
Solubility:	Insoluble in water
Relative density:	2.7
pH-Value:	9

9.2 Other information

Not relevant

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions.

10.3 Possibility of hazardous reactions

Not relevant

10.4 Conditions to avoid

No specific conditions are likely to result in a hazardous situation

10.5 Incompatible materials

Materials to avoid:

Acid reactive

10.6 Hazardous decomposition products

None under normal circumstances

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Other health effects:	This substance has no evidence of carcinogenic properties.
Acute toxicity	
Acute toxicity (Oral LD50):	6450 mg/kg rat, stearic acid LD50 = 4600 mg/kg rabbit
Acute toxicity (Dermal LD50):	> 5000 mg/kg rabbit
Acute toxicity (Inhalation LC50):	Not relevant
Inhalation:	Dust in high concentrations may irritate the respiratory system.
Ingestion:	May cause discomfort if swallowed.
Skin contact:	Powder may irritate skin.
Eye contact:	Particles in the eyes may cause irritation and smarting.

SECTION 12: Ecological information

Ecotoxicity:	Not regarded as dangerous for the environment.
12.1 Acute fish toxicity:	Not considered toxic to fish.
12.2 Persistence and degradability	
Degradability:	The product is not readily biodegradable.
12.3 Bioaccumulative potential:	The product is not bioaccumulating.
12.4 Mobility in soil:	Not relevant, due to the form of the product.
12.5 Results of PBT and vPvB assessment:	This product does not contain any PBT or vPvB substances.
12.6 Other adverse effects:	None known

SECTION 13: Disposal considerations

13.1 Waste treatment methods:	Dispose of waste and residues in accordance with local authority requirements
--------------------------------------	---

SECTION 14: Transport considerations

Road transport notes:	Not classified
Rail transport notes:	Not classified
Sea transport notes:	Not classified
Air transport notes:	Not classified
14.1 UN Number:	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.2 UN proper shipping name:	Not classified for transportation.
14.3 Transport and hazard class(es):	Not classified for transportation.
14.4 Packing group:	Not classified for transportation.
14.5 Environmental hazards	
Environmentally hazardous substances / marine pollutant: no	
14.6 Special precautions for user:	Not classified for transportation.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Not applicable	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Approved code of practice:	Classification and labelling of substances and preparations dangerous for supply. Safety data sheets for substances and preparations.
Guidance notes:	Workplace Exposure Limits EH40.
EU Legislation:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulations (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2 Chemical Safety Assessment:

Not applicable. No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date:	29/06/2015
Revision:	5
Document no:	12-05INT,15-06
Risk phrases in full:	NC – not classified

Disclaimer:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However no warranty guarantee or representation is made to its accuracy, reliability of completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.